

DPD-7547-59

CMCC Doc. No. 151x5.1555

Page 1 of 1

Copy 2 of 2

16 November 1959

Dear Dan:

Thank you for your letter of 3 November 1959 (DPD-7547-59) concerning our letter CMCC Doc. No. 151x5.1464 dated 27 May 1959. The total credit to Contract NY-A-501 for the reduction of two test sets MP-11638 should be \$3,388 rather than \$2,388 as stated.

Sincerely,

Bob

103
X

2011

151281

DPD-7547-59

SECRET

DPD-7547-59
3 November 1959

Thompson Ramo Wooldridge Inc.
Los Angeles, California

ATTN: [REDACTED]

25X1A

Dear Bob:

Reference is made to your letter CMCC Doc. No. 151X5.1464 dated 27 May 1959 which reduces the quantity of Test Sets MP-11638 by two (2) under Item 45 of Equipment List JJ, Revision B, for contract No. NY-A-501.

Reference letter states that this changes results in a credit to the contract of \$1,694 for each set or a total of \$2,388 including fixed fee. If the reduction of \$1,694 for each set is correct it appears that the total credit to the contract should be \$3,388. Would you please clarify this for us?

Very truly yours,

25X1A

[REDACTED]
Contracting Officer

Distribution:

25X1A

Orig - [REDACTED] RW

cc - NY-A-501, Prop Sec w/CMCC Doc. No. 151X5.1464

cc - Chrono, RI

25X1A

DPD-DD/P [REDACTED] HW (3-11-59)

104
NO CHANGE IN CLASS
DECLASSIFIED
CLASS. CHANGED TO: TS & C
NEXT REVIEW DATE:
AUTH: [REDACTED]
DATE: 157281 REVIEWER: 010956

SECRET

SECRET

GMCC Doc. No. 151X5.1464

Page 1 of 1

Copy 1 of 3

27 May 1959

Dear Dan:

This letter concerns the change in quantity of an item contained in equipment list JJ, revision B, which forms a part of contract NY-A-501.

Item 45 of this list designates test set MP 11638, 2 for VQ-1 and 2 for VQ-2. These test sets are used for bench checking the indicating units and control units. We have been advised by our technical representative at VQ-1 that much of the work done by these sets can be done by the bench test harnesses already provided under item 8 of this equipment list. To date, we have built only 2 of the 4 test sets and have shipped these two to VQ-1. We would like to delete the remaining 2 sets from the list and suggest that 1 of the test sets now at VQ-1 be transferred to VQ-2.

This reduction in quantity of test sets would result in a credit to the contract of \$1,694 for each set or a total of \$2,388 including fixed fee.

Sincerely,

25X1A

25X1A

Jack

DOCUMENT NO. 105
NO CHANGE IN CLASS
CLASS CHANGED TO: IS S
NEXT REVIEW DATE: 20/1
DATE: 15/2/61

ILLEGIB

ILLEGIB

~~SECRET~~

DDP 7703-83

CMGC Doc. No. 151x5.1550

Copy / of 2

Page / of 1

5 November 1959

Dear Dan:

As I mentioned on the telephone the other day, I would appreciate your initiating whatever action is necessary to have the negotiated overhead rates clause contained in ASPR 3-704.1 incorporated into Contracts A-101 and NY-A-501.

25X1A Sincerely,



Jack

DOCUMENTING 106
TO CHAIRMAN
DECLASSIFIED
CLASSIFIED BY 106
NEXT REVIEW DATE 106
AUTH 151281
REVIEW R 010036

ILLEGIB



65 JUL 22 4

The Department of Defense is authorized to receive information from the national defense intelligence community and to disseminate it to the national defense intelligence community in a manner to an authorized person or persons.

~~SECRET~~